

12423 NE Whitaker Way Portland, OR 97230 503-254-1794

Report Number:	22-008364/D002.R001
Report Date:	09/01/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	07/15/22 10:12



This is an amended version of report# 22-008364/D002.R000. Reason: Updated product identity & customer information.

Customer:	GoodFOR, Inc
Product identity:	GoodFOR ULTIMATE RELIEF - 2022-0616
Client/Metrc ID:	
Laboratory ID:	22-008364-0011

_ _ _ _ _

Summary

Analyte per 1g	Result Limits	Units	Status	CBD-Total per Serving Size 89.7 mg/1g
CBD per 1g	89.7	mg/1g		
CBG per 1g	0.197	mg/1g		THC-Total per Serving Size <loq< td=""></loq<>
				(Reported in milligrams per serving)

Page 1 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	22-008364/D002.R001
Report Date:	09/01/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	07/15/22 10:12

Customer:	GoodFOR, Inc 300 Center Drive, G-302 Superior, Colorado 80027 United States of America (USA)
Product identity:	GoodFOR ULTIMATE RELIEF - 2022-0616
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-008364-0011
Evidence of Cooling:	No
Temp:	22.3 °C
Relinquished by:	UPS
Serving Size #1:	1 g

Sample Results

	Method: J AOAC 2015	790-0 (mod) ⁶	Units mg/se Ba	tch: 2206176	Analyze: 7/21/22 5:43:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 1g	89.7		mg/1g	0.324	
CBD-A per 1g	< LOQ		mg/1g	0.0324	
CBD-Total per 1g	89.7		mg/1g	0.352	
CBG per 1g	0.197		mg/1g	0.0324	
CBG-A per 1g	< LOQ		mg/1g	0.0324	
CBG-Total per 1g	0.197		mg/1g	0.0604	
CBN per 1g	< LOQ		mg/1g	0.0324	
∆8-THC per 1g	< LOQ		mg/1g	0.0324	
∆9-THC per 1g	< LOQ		mg/1g	0.0324	
THC-A per 1g	< LOQ		mg/1g	0.0324	
THC-Total per 1g	< LOQ		mg/1g	0.0608	

 Www.columbialaboratories.com
 Page 2 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





 Report Number:
 22-008364/D002.R001

 Report Date:
 09/01/2022

 ORELAP#:
 OR100028

 Purchase Order:
 7/15/22 10:12

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g mg/1g = Milligram per 1g % = Percentage of sample % wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-008364/D002.R001
Report Date:	09/01/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	07/15/22 10:12

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results									
AOAC 2015 V98-6 Batch ID: 2206176									
Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	1	0.0336	0.033	%	101	80.0 - 1	120	Acceptable	
CBDV	1	0.0379	0.033	%	114	80.0 - 1	120	Acceptable	
CBE	1	0.0341	0.033	%	102	80.0 - 1	120	Acceptable	
CBDA	1	0.0306	0.032	%	94.6	90.0 - 1	110	Acceptable	
CBGA	1	0.0302	0.032	%	94.0	80.0 - 1	120	Acceptable	
CBG	1	0.0319	0.034	%	94.7	80.0 - 1	120	Acceptable	
CBD	1	0.0351	0.036	%	96.5	90.0 - 1	110	Acceptable	
THCV	1	0.0340	0.033	%	102	80.0 - 1	120	Acceptable	
d8THCV	1	0.0336	0.033	%	101	80.0 - 1	120	Acceptable	
THCVA	1	0.0320	0.033	%	96.2	80.0 - 1	120	Acceptable	
CBN	1	0.0334	0.034	%	97.9	90.0 - 1	110	Acceptable	
exo-THC	1	0.0346	0.033	%	104	80.0 - 1	120	Acceptable	
d9THC	1	0.0350	0.034	%	104	90.0 - 1	110	Acceptable	
d8THC	1	0.0330	0.032	%	102	90.0 - 1	110	Acceptable	
CBL	1	0.0302	0.033	%	90.6	80.0 - 1	120	Acceptable	
CBC	1	0.0373	0.033	%	112	80.0 - 1	120	Acceptable	
THCA	1	0.0292	0.031	%	94.1	90.0 - 1	110	Acceptable	
CBCA	1	0.0338	0.033	%	102	80.0 - 1	120	Acceptable	
CBLA	1	0.0328	0.033	%	98.6	80.0 - 1	120	Acceptable	
CBT	1	0.0365	0.033	%	110	80.0 - 1	120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBE	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBGA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBG	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBD	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBN	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
exo-THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d9THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBLA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBT	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

Abbreviations

s ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

 Www.columbialaboratories.com
 Page 4 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-008364/D002.R001
Report Date:	09/01/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	07/15/22 10:12

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Con	trol Results		
J AOAC 2015 V98-6	Batch ID: 2206176							
Sample Duplicate		Sample ID: 22-008353-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	0.0036	0.0043	0.003	%	17.9	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBD	1.62	1.88	0.003	%	14.9	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

 Www.columbialaboratories.com
 Page 5 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-008364/D002.R001
Report Date:	09/01/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	07/15/22 10:12



 Www.columbialaboratories.com
 Page 6 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 22-008364/D002.R001 **Report Date:** 09/01/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 07/15/22 10:12

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430